

Your Leading Distributor of Electrical Control, Switchgear, Energy Saving & Installation Products



Product Overview

www.demesne.ie | www.demesne.co.uk

OEM gives customers access to top-quality products from leading suppliers, help with development projects and the means to streamline logistics processes. OEM thus creates both technical and economic value for its customers.



Electrical Components



Pressure & Flow Components



Motors, Ball Bearings & Brakes



Appliance Components



Installation Components



Machinery Components & Cables

We provide energy and automation solutions for efficiency and sustainability. We empower all to make the most of their energy and resources, ensuring Life Is On everywhere, for everyone, at every moment.

Acti9 and Isobar circuit protection





Industrial automation and control











Detection













Innovative enclosure solutions for

Industrial Automation | Harsh Environments | LV Energy distribution | IT Business





Fibox enclosures protects your electrical and electronic components from hostile environments






Discover IBOCO solutions

Pedro: the modular fiberglass enclosure



Pedro GRP Enclosures
Specifically designed for ease of use



A full range of accessories available

As with all IBOCO products, the VTR series provides simple resolutions via the quick "quarter turn" modular accessories. Superior features and quicker installation.



www.demesne.ie/iboco/pedro

Discover IBOCO solutions

A comprehensive range of TRUNKING and accessories



T1-N and T1-EN Trunking
Co-extruded upper finger edges



Since 1965 IBOCO offers an integrated system of specific solutions for panel builders' needs, providing end users with time and labor saving solutions.



www.demesne.ie/iboco/panel-trunking

www.demesne.ie/cubic

TESTED FLEXIBLE COPPER BUSBARS

Cu-flex busbars ensure a prompt and professional execution of electrical connections. The busbars are supplied ready for use! This means that you do not have to spend time on shortening, stripping the wires, making holes, or complicated bends.

Cu-flex has been tested and approved under various circumstances by i.a. DEKRA and DNV/GL.

In addition Cu-flex is UL recognized in category "Component - Panelboard and Switchboard Accessories".





Connection: Busbar to busbar



ADVANTAGES WITH A CU-FLEX BUSBAR

- · Delivered ready for use
- No shortening, stripping or making holes for fitting required
- Multi-flexible
- · Rated current at 30°C, up to 1040A
- · Lengths 160 1120 mm
- · Time-saving installation
- · Does not contain dioxins
- Up to 1000V

BUSBAR WITH A MINIMUM OF MAINTENANCE

A Cu-flex copper busbar is made of copper wires that are woven to a flexible busbar. CUBIC's patented technique forges the ends of the busbar to a solid unit. No tin or the like has been added.

Thus obtaining a contact surface that makes it possible to produce maintenance-free connections.



Between electrical components.









The solution for your Industrial Cooling needs

VENTILATION

When:



- outside air lower than inside (approx. ΔT=10°C)
- · low cooling capacity
- · little maintenance
- · clean ambient air







DOOR MOUNTING Air Flow: 35 - 850 m3/h

AIR CONDITIONERS

When:



- · outside air higher than inside air
- ambient air extremely oily or dusty
- · high cooling capacity: 330 10000W

www.demesne.ie/cosmotec





















POWERFUL. THERMAL MANAGEMENT.











REGULATING

Thermostats and Hygrostats





www.demesne.ie/stego



The **full** program electric connection technology



CONTA-CABLE

Cable entry solutions that create structure

The products:





CONTA-CONNECT

Terminal blocks PRK and SRK, fast, secure and reliable

The products:





CONTA-ELECTRONICS

GSM-PRO2, the 4G telecontrol solution

The products:



www.demesne.ie/conta-clip



Always on the safe side

Compact and reliable energy monitoring and control since 1963



Grid & System Protection

For safe operation of renewable energy generators



Monitoring Relays

Measure and monitor current, voltage, temperature, frequency, levels and more



Timing Relays

For more efficient system and machine operations



SensAct Modules

Fast transmission of measured electrical values via ModbusRTU to a PLC or other data logger

www.demesne.ie/telehaase







Complete range of Industrial Panel Relays in stock, with bases to suit all types.





Digitized Automation for a Changing World

One Brand for all Automation Needs





■ müller

Digital Time Switches



Analogue Time Switches




Elapsed Time Counters



Countdown Timers



Smart Bluetooth Time Switches



Save'n carry App













www.demesne.ie/muller

ELECTRICAL COMPONENTS



www.demesne.ie/hora





Main line branch terminals (HLAK)



Distribution Blocks (PDB)



Distribution Blocks (UVB)



Busbars (PS)



Terminal Blocks (RKA)



Conductor Connection Terminals (SSAK)





Switches Without Compromises

Katko is a Finnish family business specialising in safety switches, load break switches, fused switches and related accessories. With more than 70 years of experience, our product selection is among the most extensive in the world. It includes special products for demanding operating environments and critical locations.





Enclosed Katko safety switches from an extensive 10–1600 A selection. The right enclosure for all operating conditions.





Reliable main switches providing the best performance on the market, up to 800 A. Perfect compatibility and a wide selection of accessories.





Extensive selection of terminal blocks and cable connectors suitable for both aluminium and copper cables. Easy to install directly onto a DIN rail or with screws.





Direct current safety and load break switches for solar power installations. Weatherproof for different outdoor conditions.





Switches that allow for overcurrent protection in industrial and domestic environments.



www.demesne.ie/katko



60Classic

Busbar system with a large selection of components for many applications

A busbar centre distance of 60 mm is the standard in most low-voltage distribution applications today. Developed by Wöhner, this standard has been implemented in the 60Classic system and has become the most common busbar system in many branches.



Two main reasons for its success: 60Classic is space saving and provides a huge selection of components. Depending on requirements, busbars of various cross sections can be used; currents up to a maximum of 2500 A are possible.



RAPIDPLUS HIGH SPEED FUSE LINKS FOR SEMICONDUCTORS







CYLINDRICAL







SPECIAL FUSES



PHOTOVOLTAIC



NH BATTERY PROTECTION



www.demesne.ie/df-electric



Providing metering solutions for all market segments.





Your Expert in Surge Protection, Lightning Protection and Safety Equipment.



DEHNventil

The original. Half the size, all the power.



BLITZDUCTORconnect

Easy. Safe. Robust.

SPECIALIST IN ELECTRICAL RISK PREVENTION




ELECTRICAL

SOLUTIONS

SAFETY







HYBRID AND ELECTRICAL VEHICULES MAINTENANCE







Since 1919, CATU has been developing safety solutions and equipment against electrical risks for electrical power transmission and distribution networks. Our constant efforts to improve our range are carried out in collaboration with our users and partners in France and around the world. CATU also carries out periodic verification of electrical safey solutions to guarantee you compliancy and safety during product life cycle.





www.demesne.ie/catu







www.demesne.ie/ilme





www.demesne.ie/auer





CT5 Modul-Compete 50

Competitive Simplicity

The cost-optimised CT5 has a central contacting and was developed exclusively for 24V DC operation. For standard applications where high quality and an attractive price are required, the CT5 is the right choice.



Series A the Mighty

ASS-P is a 94 mm cubic-design multi-tone alarm sounder with max. 103 dB sound pressure. 8 tones can be selected via DIP switch.



Series Q

the Bright

The series Q is the largest and most comprehensive luminaire series in four sizes with a square design. The extensive product range is available in 94 mm, 132 mm, 184 mm and 228 mm sizes.



Series R the LED Design Powerhouse

The new LED beacon series R is the brightest LED beacon in its category and is especially designed for maximum signaling effect.

Auer Signal is one of the world's leading manufacturers of signaling equipment and is present in over 70 countries today. Our products are planned, constructed and tested by our development teams. Innumerable test steps ensure the best product quality. Signaling devices from Auer Signal stand out from the crowd thanks to their innovative indepth solutions and ingenious engineering. WWW.AUERSIGNAL.COM



ATX FELED and FNLED series Standard and Emergency Nonmetallic



ATX JBIS Junction Box



Unicode™ 2 Control Stations



ATX JBEP Junction Box



PlexPower[™]Panelboard





Appleton™ ATX™ electrical products by Emerson have long been relied upon for the protection of people and equipment while delivering reliable power. Our expansive offering of electrical products are engineered to meet the rigorous Zone 1-2 and 21-22 ratings — from LED lighting to plugs and receptacles to junction boxes, panelboards control stations, isolator switches and cable glands.

With Appleton ATX products, you can count on certified protection in your hazardous location facility.



ATX SWD Isolators



ATX SWE Isolators



ATX PRE Series Plugs and Sockets







EMERSON



Cables of rated voltage 300/500 V, intended for incorporation in internal wiring and electrical panels, lighting,

450/750 V Cables

Cables with rated voltage 450/750 V intended for use in protected permanent reception facilities in homes, premises, ...

Cables 0.6 / 1 kV

Cables of rated voltage 0.6 / 1 kV intended for indoor or outdoor reception facilities, buried or aerial and connections in industrial environments, lighting ...

Instrumentation and Control



Cables intended for installations where it is required to minimize the effect of electromagnetic radiation to ensure the reliability of the signals.

Bare Copper



Rigid or flexible for conducting ground connections and special applications.

Prewired



Tube ICTA 3422 750 N combined with halogen-free cables for the most common installation.



www.demesne.ie/rct



Flexibility and robustness for installation in conventional applications.

HFFR Cables

Safety for people and for facilities with special protection against fire as well as reduced emissions of acidic, toxic gases and opaque.

Armoured Cables

Specially designed for installations with risk of fire and explosion on mechanical strength and protection from rodents.



Nontoxic Cables suitable for

incorporation into the toy industry in which it ensures the safety of users

that these products are intended.



Cables, accessories and connectors. Everything from one source.

ÖLFLEX® CLASSIC 110

: 110 VDE Reg. Nr. 7030 (€

The ÖLFLEX® Classic 110 YY multi-core number coded range

is ideally suited for use as a control, signal and power cable in a variety of applications. Its high flexibility ensures easy installation whilst the tough external sheathing will resist the effects of many acids, caustic solutions and various oils.

ÖLFLEX® CLASSIC SY



Having all of the benefits of the standard ÖLFLEX® Classic range

SY cable has the additional protection of a galvanised steel wire braid and transparent PVC outer sheath. It retains flexibility and ease of installation and offers a high degree of mechanical protection often extending the service life of an installation. Ideal for many industrial applications including the machine tool industry, where the extra protection of SY will prove invaluable.

ÖLFLEX® CLASSIC 115 CY



The ÖLFLEX® Classic 115 CY has a tinned copper braid

for all applications with particular reference to EMC critical installations.

The ÖLFLEX® Classic 115 CY can be used in fixed installations or where non-continuous but flexible movement is required. At room temperature they are widely resistant to acids, caustic solutions and oils.

ÖLFLEX® ROBUST 210 & 215C

ÖLFLEX® ROBUST 210 & 215C are control cables for flexible and fixed installations

for robust mechanical use. At room temperature they have increased resistance against acids, caustic solutions and certain vegetable, animal and mineral oils. This range of cables are ideally suited for use in agricultural, food, beverage and pharmaceutical industries.







UK MANUFACTURED • TOP QUALITY • COLOUR CONSISTENCY GUARANTEED OUTSTANDING SERVICE • FULL RANGE OF COLOURS AND SIZES AVAILABLE

TRI-RATED CABLE

UL AND CSA APPROVED






2491B / 6701B (H05V-K/H07V-K) **LOW SMOKE ZERO HALOGEN CABLE BASEC APPROVED**



Also major stockist of:

- Superflex Extra flexible Tri-rated
- 2491X (H05V-K/H07V-K)
- Defence Standard Cable (Def Stan) Equipment wires





www.demesne.ie/clynder-cables



Holding Power

Ellis is the global leader in the design and manufacture of cable cleats and fixing solutions. In-house engineering capabilities allow for constant innovation and the creation of bespoke solutions for individual project specifications. Our strong network of worldwide distributors help to deliver technical expertise to secure projects around the world.

INDUSTRIAL CABLE CLAMP



Manufactured as standard in black LLDPE. Used to fix power cables in indoor and outdoor applications.

EMPEROR TREFOIL



Heavy duty compact stainless steel cable cleat, for cables in single or trefoil formation.

ONE HOLE CABLE CLAMP



Light duty
cable clamp for
single cables.
Available in
aluminium, black
polypropylene
or a zero halogen,
low smoke and
fume nylon.

VULCAN+



Standard duty compact stainless steel cable cleat, for cables in single, trefoil or quad formation.

TWO HOLE CABLE CLAMP



Standard duty cable clamp for single cables. Available in aluminium, black polypropylene or a zero halogen, low smoke and fume nylon.

ALPHA



Light duty compact aluminium cable cleat, for cables in trefoil formation.

TRIDENT



Standard duty polymer cleat for cables in trefoil formation. Also available with spacer for a wider range take.

PEGASUS & GLAVANISED STEEL CABLE HANGERS



Pegasus non-metallic hangers manufactured in a high strength nylon, are corrosion resistant and can be fitted in the harshest of environments. Standard galvanised steel hangers have been updated to be kinder to cables and prevent snagging on rough edges.





Discover IBOCO solutions

PVC flexible conduits and accessories



GSIPlasticised PVC flexible conduit



A full range of accessories available

IBOCO offers a comprehensive range of flexible conduits and accessories, useful for a broad spectrum of applications, from protecting fiber optic cables to installing instrumentation or control cables.







Oltre ai prodotti standard, EURO 2000 si è specializzata nella produzione di guaine con rivestimenti speciali:

- Guaine halogen free senza emissione di fumi tossici. Testate in accordo alle nuove norme CEI 11170 normativa fuoco fumi ferroviaria.
- 2. Guaine alta e bassa temperatura DMC ABT, DMC ABTX e DMTLNX trecciate in lana di vetro.
- Guaine per la protezione contro i campi elettromagnetici EMP SCREENING guaine tipo DMC EMP, UALT 2000, DMT EMP.
- 4. Guaine raccordi e tubi certificati RINA. Certificato n. ELE308410CS



Apart from the standard items, EURO 2000 is specialized in the production of conduits with special coverings:

- Halogen free conduits without the emission of toxic smokes. Tested according to new norms CEI 11170 (norm about fire and smokes).
- 2. High and low temperature DMC ABT, DMC ABTX and DMTLNX conduits braided through fiberglass.
- 3. Conduits for the protection against electromagnetic fields EMP SCRE-ENING. DMC EMP, UALT 2000, DMT EMP conduits.
- 4. Conduits, fittings, tubes certified by RINA. Certificate n. ELE308410CS

Standardizzando e razionalizzando una serie di raccordi modulari che permettono l'adattabilità e il montaggio dello stesso raccordo su tutti i tipi di guaine con la possibilità di poter realizzare raccordi speciali per ogni tipo di esigenza.



We standardize and rationalize a modular fittings that can be adapted and assembled on any kind of conduit with the possibility of creating special fittings to satisfy your exigencies.

Unificazione dello stesso raccordo su tutti i tipi di guaine flessibili sia metallici che plastici, questo comporta una maggior razionalizzazione delle scorte e una miglior flessibilità in fase di installazione dei materiali.

Unification of the same fitting on any kind of flexible conduit (both metal and plastic). This implies a greater rationalization of the stocks and a better flexibility during the materials's setting.





CORE PRODUCTS

www.demesne.ie/filoform

Filoform, part of the CRH Group, Manufactures a vast array of products that have been developed to connect, seal and protect underground cable and ducting infrastructures. Please find below a brief introduction to some of our core Filoform products. Click on the images below to go to the relevant web pages.



Water, gas, rodent & fire resistant duct sealing systems



Divisible gas & watertight fibre optic seals



Gas & water tight building entry seals



LV cast straight & branch resin cable joints (1.5mm to 400mm)



Heatshrink joints & terminations upto 36KV



High quality PVC tapes to suit many applications




LV cold applied end caps (various sizes, UK stock)

Cold Shrink Tubes

LV cold applied tubes (various sizes, UK stock)



Heat applied end caps (various sizes, UK stock)



Heat applied tubes (various sizes, UK stock)

Polyurethane Resin

Sealing & potting resins (rated to 20KV p/mm)



Resins to improve the climate inside a cabinet



CABLE GLANDS & ACCESSORIES for Industrial and Hazardous Applications

www.demesne.ie/bimed

INDUSTRIAL CABLE GLANDS

CABLE PLATES

EMC CABLE GLANDS







HYGIENIC CABLE GLANDS

RAILWAY CABLE GLANDS

VENTILATION PRODUCTS







ADAPTORS & PLUGS


EX-PROOF PRODUCTS







Cable and Pipe Entry Products



Cable Penetration by Design







IDEAL Gen II Lever wire connectors:

- Modern alternative to traditional strip connectors
- Reusable
- For solid, stranded or flexible cables.
- Clear shell for verification of connection
- Up to 4.0 mm2 cables
- 32A/450V

IDEAL SpliceLine wire connectors:

- Excellent for extending and connecting wires
- Only in-line push in on the market
- 3x faster to install than traditional crimped butt splices
- Up to 4.0 mm² for solid and 2.5 mm² for stranded
- 32A/450V



- Reduce installation time by up to 50%
- Perfect replacement for crimped splices
- Up to 4.0 mm² for solid and 2.5 mm² for stranded
- 32A/450V



- 70% faster/ 90% more accurate than traditional RJ solutions
- The FT-45[™] is a simple, compact and highly effective crimp tool for installers and technicians that terminate RJ-45 connectors regularly.
- Feed-Thru enables simple verification of wires
- Enables conductors to be cut flush with the end face of the connector when used with the FT-45™ tool.

www.demesne.ie/ideal





AUTOMOTIVE AND INDUSTRIAL - DSG-CANUSA PRODUCTS

Ensure electrical and mechanical reliability with the engineered products and solutions of Shawcor's Automotive and Industrial Group.

Heat Shrink and Cold-Applied Cable Accessories

Spanning a wide range of physical property characteristics—including shrink ratio, operating temperature, fluid compatibility, flammability and temperature resistance—and available in multiple designs, our heat shrink tubing provides electrical insulation, environmental sealing and strain relief in an endless number of industries and applications. We also offer a variety of low- and medium-voltage cable accessories to terminate and splice utility and industrial cables, as well as equipment insulation and connection for environmental sealing, flashover protection and more.

Electrical Utility

Medium and Heavy Wall Products

- Heat Shrink and Cold Applied Sleeves
- · Adhesive lined or Single Wall
- Up to 6:1 Shrink Ratio
- From .35" to 9"
- · UL, CSA and ANSI rated
- · Multiple colors and clear
- · Electrical Insulation up to 2kV

Specialty Products

- · Wrap around repair and rejacketing sleeves
- · Cable End Caps
- Elbow Sealing Kits
- · Airport lighting kits
- Cable Break out Boots

Medium Voltage Terminations

- · CT Series Heat Shrink Terminations
- · IEEE 48 Class 1 Qualified for 5 to 35kV
- · 6 AWG to 2500kcmil
- · Designed for Shielded, Non-Shielded, JCN, LC Shielded Cables

Medium Voltage Splices

- CSJ Cold Shrink Splices
- · CJ Series Heat Shrink Splices
- · IEEE 404 qualified for 5 to 35kV for straight and transition splices
- 8 AWG to 1750 kcmil
- · Designed for Shielded, Non-Shielded, PILC, JCN Cables

Tapes

- Professional Grade and General Purpose
- Electrical Insulation and Protection up to 600V
- Specialty Tapes for Environmental Sealing, Fireproofing, Corrosion and Mechanical Protection
- · UL and CSA rated

Accessories

- 3/C Conversion Kits
- · Connectors (lug, barrel and stem)

OEM

Thin Wall Products

Single Wall

- · Up to 4:1 Shrink Ratio
- From 3/64" to 5"
- UL, CSA and QPL rated
- · Multiple colors and clear

Specialty Automotive Products

- · Splice Sealing
- Water Blocking
- Terminal Sealing
- Hose and Pipe Protection

Heat Shrink Application Equipment

- High Speed Belt Heater Ovens
- · Custom Designs
- On-Board Splice Sealing
- · Discrete Bench and Top Heaters
- · Shuttle Ovens
- · Splice Sealing Heaters



Adhesive Lined

· Up to 4:1 Shrink Ratio

· Multiple colors and clear

From 1/8" to 2"UL, CSA and QPL rated





The beginning of a good connection





Product Overview | Wire Processing











Machines





VDE Hand Tools for Professional



Safe and Secure **Electrical Connections**



Accurate Sheet-metal Hole Punching Solutions





KL391ISLIM






LS100FLEXCFM LS50FLEXCFB











Martindale Electric is one of the most trusted brands in electrical safety testing and is the market leader in Keeping you Safe with safe isolation equipment.

Martindale's cost effective solutions for compliance with Electricity at Work Regulations are essential when maintaining electrical plant and equipment, and enable you to respond quickly, efficiently, and safely to issues that arise in your working environment.

In addition to the industry standard safe isolation kits and socket testers, Martindale Electric's product range includes 18th Edition installation testers, portable appliance testers (PATs) and environmental testers essential for maintaining a safe and healthy workplace.



Combined Voltage indicators & lock kits



NEW Proving devices



PAT testers



Socket testers






Identify your network with confidence

Brady utilises the greatest product range on the market to offer a complete identification solution in any context. This means Brady can bring you these advantages:

- Best in class industry materials
- Industry leading rugged printers
- · Service that is second to none
- · Quick lead times
- European wide product approvals
- · Labelling on the move





Self-laminating labels (B-427)

Nylon cloth wrap-around labels (B-499)

Shrink sleeve wire markers (PermaSleeve B-342)

Halogen free cable tags (B-7643)

Solutions for hazardous energy control

Brady was the fi rst to respond to the new OSHA legislation in the U.S. in 1990, and has maintained its position as a leading Lockout solutions provider ever since. Today, Brady offers a comprehensive package for Lockout/Tagout compliance.



Partex - Leading The World In Cable Identification

Most professional wiremen are aware of the user friendly benefits of the Partex PA marker which have made it the world's leading cable marker.



Spring-action bellows reduce the number of sizes required.

Hot foil marking for permanence and clarity of ident.

Soft Cadmium free PVC, easier on the fingers.

Competitive pricing from our huge stocks.


Secure anti-twist interlocking system.

Available off the shelf in Black/White, Black/Yellow or International, resistor colour coded.

Available in loose pack form, reels, discs or our handipack.

dispenser,

Marker kits for site/panel work also available as standard including our 18 compartment PAL assortment box, CAS refillable 'pocket size', cassette dispenser and MDH20 keyring





Complimenting our best selling PA range are the hugely popular PC clip-on and PCA snap-around post termination markers, PLD wrap-around range and PK2 together with PKS stainless















www.demesne.ie/starrett





CEE Industrial Plugs and Sockets



Wall Mounted Sockets Flanged Sockets Switched Interlocks



Multiple Socket Outlets Adaptors




Customised Distribution Boxes

www.demesne.ie/pce





HIGH-PERFORMANCE ELECTRICAL CONNECTIONS (IP66/IP68/IP69K)











In-line joints and junction connectors



Junction boxes



Plug&socket connectors cable-to-cable and panel-mounted



Plug&socket current distributors





MOTOR RUN & MOTOR START CAPACITORS







Save your business money with Procell's device-specific batteries*

DURACELL company introduces the new professional brand **PROCELL** – a complete range of alkaline and lithium batteries



PROCELL INTENSE POWER HIGH-DRAIN DEVICES

- Require high current over short period of time
- More functions demanding more power
- Frequent usage
- Mostly motorised & creates movement upon operation
- Frequent replacement cycle

PROCELL GENERAL PURPOSE MID- TO LOW- DRAIN DEVICES

- Require low current over short periods of time
- Fewer functions
- · Infrequent usage, idle most of the time
- Non motorised & typically no movement upon operation
- Longer replacement cycle



vs prior Industrial by Duracell. To choose the right battery for our device please visit us at Procell.com

NUALIGHT



Arc 3

- Models from 90W to 270W
- 150-160 lumens per Watt
- 100,000 hours (L80)
- Wide and Aisle Beam Options
- IP66, IK10
- -40°C to +55°C
- DALI Dimming as Standard
- Integral PIR Sensor Option
- Suspended or Surface Mount*
- 0.99 Power Factor

Helios

- Models of 34W or 50W
- 130-140 lumens per Watt
- 100,000 hours (L80)
- IP66, IK10
- -25°C to +45°C
- 1-10V Dimming as Standard
- DALI option
- 3 hrSelf-test Emergency Option
- Integral Sensor Option
- 0.95 Power Factor

Alpha

- Models of 90W or 140W
- 125-130 lumens per Watt
- 100,000 hours (L70)
- Wide and Aisle Beam Options
- IP65, IK08
- -20°C to +45°C
- 0.95 Power Factor





Notes



Deloitte Best Managed Companies

Deloitte.

Talk to Our Team Today

- Phone +3531-4047700
- Email sales@demesne.ie
- Online Stores | www.demesne.ie www.demesne.co.uk

DUBLIN (Head Office)

The Square, Industrial Complex, Tallaght, Dublin 24, D24 ED71

Tel: 01 404 7700 Fax: 01 4044 7777

CORK

25, Euro Business Park, Little Island, Co. Cork, T45 HP92

Tel: 021 4355 440 Fax: 021 435 4626

TYRONE

Unit 14, Ballysaggart Business Complex, Beechvalley Way, Dungannon, BT70 1BS

Tel: 02887 72 5033 Fax: 02887 72 7618

www.demesne.ie | www.demesne.co.uk